Assembly Instructions

Thor Counter Stool

SKU: 200100 / 200102 / 200110 200112 / 200120 / 200122



The Parts

	Description	Qty	
А	Seat Frame	1	
В	Left/Right Leg Frames	2	
С	Front Footrest	1	
D	Back Footrest	1	
1	1/4 x 2 1/8 inch Hex Button Head Bolt	4 + Extra	
2	1/4 inch Lock Washer	4 + Extra	
3	1/4 inch Flat Washer	4 + Extra	
4	M4*40mm Screw	4 + Extra	<i>₹.111111111</i>
5	M10 x 25mm Wood Dowel	2 + Extra	
6	Allen Key	1	

• Estimated time for assembly




• Do not use power tools



• Use the packaging carton as a working surface to prevent scratches or damage during assembly.

The product

Exploded View



IMPORTANT

- Do not tighten bolts / screws completely until all bolts / screws are line up and inserted into holes
- Do not over tighten bolts to avoid stripping.
- Please use hand tools to assemble this product. Do not use power tools.


Begin with the Left Legs (B), ensuring the footrest holes are oriented towards

the center of the stool's seat platform.

Use the lettered labels to align the components correctly.

Tighten all bolts to 75%.





2

x2

3


x2


(5)

x1

Repeat Step 1 for the Right Legs (B), and at the same time,


attach the two footrests (front and back) between the two sets of legs.






Secure the footrests using the rounded head screws (4) and tighten them fully.





Turn the stool upside down on a flat, level surface. Ensure all legs are touching the ground before fully tightening everything



All Set for Everyday Use



Important usage guidelines

DO NOT - Modify the structure of this product

DO NOT - Use for commercial purposes

DO NOT - Leave spilled liquids on the stool

DO NOT - Use the stool if it is damaged

DO NOT - Perform temporary repairs

DO NOT - Use outdoors